

MUMBAI : Corporate Office: 116, F Wing,1st Floor, Kanakia Zillion, LBS Marg, Kurla (West), Mumbai - 400070

Tel No : 022 - 62253400


DELHI: Office: 09, Ground Floor, Omaxe Square, Iasola District Centre, New Delhi - 110025 Mob.: +91 9711777560

BANGALORE: Office: Flat No. 213, Vijay Mansion Apartment, 1st Main RPC Layout, Hampi Nagar, Opp. to Maruti Hospital, Bangalore - 560104 Mob.: +91 9036644111 E-mail: vmzinc.india@vmbuildingsolutions.com



Facades Roofs Interiors

Innovative solutions to meet your design aspirations.







You Under VMZINC

www.vmzinc.in

vmzinc Make it yours

Customisation is not just for sports brands, it is a growing trend in all sectors and the building industry is no exception. Clients and design teams are looking for original, made-to-order solutions to put their hallmark on projects. VMZINC provides responses to these new requirements and today offers colours on request, folds and made-to-order perforations that extend the use of zinc.

VMZINC PERFORATED ZINC

VMZINC offers a wide range of standard or made-to-order perforations according to the aesthetics and degree of transparency sought: rounded, square, rectangular or trapezoidal forms; uniform or arbitrary layout and photographic reproduction using pixellation of motifs. These perforations, combined with VMZINC constructive systems, give rhythm to facades by creating a contrast between shadows and light. The perforated cladding becomes a sun-shield and contributes to improving the thermal performance of buildings. Thanks to its self-protective properties, perforated zinc acquires a natural patina, eliminating the need for post-lacquering of the cut edges, which is often necessary with other metals. The intrinsic qualities of zinc make it an ideal material for perforated cladding systems. The elegance and lifespan of the project are ensured over the long term.



COLOURS ON REQUEST

A pioneer in surface aspect treatment since 1837, VMZINC makes its know-how available to contemporary architecture and is providing its PIGMENTO and lacquered range of colours on request. This ground-breaking offer is new to the market, makes it possible to have a multitude of shades and is an invitation to creativity.

Available for all VMZINC facade and roofing systems, these colours are created jointly by design teams and VMZINC teams. In the space of several weeks, prototypes in the desired colours are available for validation.

For each individual customisation, every request is specifically examined by the VMZINC teams to provide a comprehensive solution to suit each specific situation.



VMZINC Environmentally Friendly


Zinc is a natural element of our environment. It takes very little energy to manufacture compared to other metals used in equivalent building envelope applications. Rolled zinc is unique in that it reacts with the main components of the atmosphere by creating a self-protective coating. Thanks to the latter, zinc can easily last hundred years. Rolled zinc is also 100% recyclable and 95% of it is effectively recovered and re-used in different areas of application.

With VMZINC® solutions you can dare to be creative and make a mark without marking the environment.

• 100% natural

VMZINC

- Low energy consumption
- Lasts up to 100 years
- 100% recyclable



Environmental Product Declarations













Environmental Assessments



























SOLUTIONS WITH SPECIFIC FOLDS

VMZINC's industrial skills enable the brand to develop cladding systems on request in the form of customised profiles, installed on a metal framework. Assembled using invisible fixing, various ranges and depths can feature on a single profile. These profiles provide rhythm and structure, and are prototyped upstream. All profiles are then packaged and delivered per type of fold in order to ensure quick and easy installation of the facade.

High school G. Dolmaire





Project - Individual Housing, **Location -** Italy

VMZ Standing Seam

From roof to facade.

- Can be installed horizontally or vertically
- Provides strong, uninterrupted lines
- Maximum waterproofing

| Area of Application | Straight, curved and complex |
|---|--|
| Thickness | 0.8 mm |
| Standard Coil Width | 500 mm |
| Standard Center to Center / Height of Seam | 416 mm / 32 mm 430 mm / 25 mm |
| Maximum length of panel | Horizontal layout: 6 meters Vertical layout: 4 meters |
| Minimum Radius of Curvature | 300 mm |
| Support System | Rigid and continuous in all parts. |
| Surface Finishes | QUARTZ -ZINC, ANTHRA -ZINC, PIGMENTO & AZENGAR |
| Color on Demand | Minimum Quantity 500 Sqmt |

Project - Medical Building, **Location -** Japan

VMZ Flatlock panel


Textured facade.


- Can be installed horizontally or vertically
- Provides a heightened, textural aesthetic
- A traditional approach to wall cladding

| Area of Application | Straight, curved and complex |
|---|--|
| Thickness | 0.8 mm |
| Standard Coil Width | 500 mm |
| Standard Center to Center / Height of Seam | 390 mm for non recessed joint 375 mm for recessed joint |
| Maximum Length of Panel | 3 meters |
| Support System | Rigid and continuous in all parts. |
| Surface Finishes | QUARTZ -ZINC, ANTHRA -ZINC, PIGMENTO & AZENGAR |
| Color on Demand | Minimum Quantity 500 Sqmt |









4 VMBUILDING SOLUTIONS 5





Project - Educational Building, **Location -** UK

VMZ Interlocking Panel

An elegant facade.

- Can be installed horizontally or vertically
- Hidden fasteners beyond a clean, flat panel
- A reveal between panels enhances shadow lines

| Area of Application | Straight |
|---------------------------|--|
| Thickness | 0.8 mm and 1 mm |
| Standard Center to Center | 150 mm, 220 mm, 300 mm |
| Maximum Length of Panel | 3 meters |
| Support System | Framework of galvanized steel or aluminium rails fixed every 600 mm on the main structure. |
| Surface Finishes | QUARTZ -ZINC, ANTHRA -ZINC, PIGMENTO & AZENGAR |
| Color on Demand | Minimum Quantity 500 Sqmt |

Project - Commercial Building, **Location -** Surat



A traditional facade.


- Installed in a shingled aesthetic on the facade
- Excellent waterproofing
- Easy to install

| Area of Application | Straight and curved |
|---------------------|---|
| Thickness | 0.65 mm |
| Useful Dimensions | 400 mm x 400 mm |
| No. elements/m2 | 8.8 |
| Packaging | 24 Adeka / box |
| Support System | Rigid and continuous in all parts. |
| Surface Finishes | QUARTZ -ZINC, ANTHRA -ZINC, PIGMENTO |
| Color on Demand | Minimum Quantity 500 Sqmt |
| | |









(6)





Project - Public Building, **Location -** France

VMZ Overlapping Panel

A tapered facade.

- Installed horizontally
- Gives a louver effect
- Externally sloping panels

| Area of Application | Straight |
|---------------------------|--|
| Thickness | 0.8 mm |
| Standard Center to center | 175 mm |
| Maximum length of panel | 3 meters |
| Support System | Framework of galvanized steel or aluminium rails fixed every 600 mm on main structure. |
| Surface Finishes | QUARTZ -ZINC, ANTHRA -ZINC, PIGMENTO & AZENGAR |
| Color on Demand | Minimum Quantity 500 Sqmt |



VMZ Composite Panel

A structured facade.

- Refined aesthetics of very flat zinc elements
- Meticulously finished accessories, invisible fasteners
- Full range of components: framework, fasteners, finishing accessories


| Area of Application | Straight and curved |
|-----------------------------|--|
| Thickness | 4 mm |
| Width | 990 mm Standard and 1240 mm on demand * |
| Maximum Length of the Panel | 6 meters |
| Desnity | 12kg/Sq.m |
| Support System | Framework of galvanized steel or aluminium rails fixed every 600 mm on main structure. |
| Surface Finishes | QUARTZ -ZINC, ANTHRA -ZINC, PIGMENTO & AZENGAR |
| Color on Demand | Minimum Quantity 500 Sqmt |
| · | |

* QUARTZ-ZINC

9







(8)



Project - Public Building, **Location -** France

VMZ Sine Wave Profile

A rhythmic facade.

- Can be installed horizontally or vertically
- A soft, undulating corrugation with through fasteners
- The "look" of the material can be contemporary or recall the rural vernacular

| Area of Application | Straight and curved | | |
|--|--|-----------|-----------|
| Thickness | 0.8 mm to 1 mm | | |
| Profile Designation | 18/76 | 25/115 | 43/180 |
| Wave Depth | 18 mm | 25 mm | 43 mm |
| Peak to Peak Distance | 76 mm | 115 mm | 180 mm |
| Radius for Natural Curving / Horizontal Curving | 15 meters | 30 meters | 40 meters |
| Support System | Framework of galvanized steel or aluminium rails fixed every 600 mm on main structure. | | |
| Surface Finishes | QUARTZ -ZINC, ANTHRA -ZINC, PIGMENTO & AZENGAR | | |
| Color on Demand | Minimum Quantity 500 Sgmt | | |





Project - Educational Building, **Location -** Spain

VMZ Perforation

Aesthetically Designed Perforation.

- For Sunscreen to reduce heat gain
- Air Ventilation purpose
- Customized perforation

| Area of Application | Straight, curved and complex |
|---------------------|--|
| Thickness | 0.8 mm to 1.5 mm |
| Size | Customised |
| Width | Maximum 1000 mm |
| Support System | Framework of Galvanized Steel |
| Surface Finishes | QUARTZ-ZINC, ANTHRA-ZINC & natural zinc |







(10) VMBUILDINGSOLUTIONS (11)





Project - Commercial Building, **Location -** France

VMZ Mosaik

An elegant facade.

- Wider & Bigger Panels
- Rainscreen system
- Relief Panels

| Area of Application | Straight |
|-----------------------------|--|
| Thickness | 1mm and 1.5mm |
| Width | 450 mm, 600 mm and 900 mm |
| Maximum Length of the Panel | 2.4 meters |
| Support System | Framework of galvanized steel or aluminium rails fixed every 600 mm on main structure. |
| Surface Finishes | QUARTZ -ZINC, ANTHRA -ZINC, PIGMENTO & AZENGAR |
| Color on Demand | Minimum Quantity 500 Sqmt |

Project - Commercial Building, **Location -** Pune


VMZ Expanded Mesh


Light, economic and flexible


- For Sunscreen to reduce heat gain
- Air Ventilation purpose
- Customized Mesh

| Area of Application | Straight, curved and complex |
|---------------------|-------------------------------|
| Thickness | 1 mm to 1.5 mm |
| Size | Customised |
| Width | Maximum 1000 mm |
| Support System | Framework of Galvanized Steel |
| Surface Finishes | QUARTZ-ZINC & natural zinc |












Project - Commercial Building, **Location -** Chennai

VMZ Parametric

- Capability to produce flexible designs
- Allows deeper comprehension of design objectives
- Aids designer in their decisions to find solutions





Project - Public Building, **Location -** Denmark


VMZ Customised

- Customized design requirements
- Large range of bespoke forms of facades
- Broad knowledge and experience









VMZINC Roofing

VMZINC Roofing



Project - Medical Facility, **Location -** France

VMZ Standing Seam

Tradition lives on...

- Can be installed vertically or diagonally
- Panel length up to 15+ meters
- Maximum waterproofing

| Area of Application | Straight, curved and complex | |
|---|---|--|
| Minimum Pitches | 3 (5%) | |
| Thickness | 0.7 mm | |
| Standard Coil Width | 500 mm | |
| Standard Center to Center / Height of Seam | 416 mm / 32 mm 430 mm / 25 mm | |
| Maximum Length of Panel | 15 meters | |
| Minimum Radius Curvature | 300 mm | |
| Support System | Rigid and continuous in all parts. Meet loading resistance requirment with a pull out strength of 50 daN for each fixing clip. | |
| Surface Finishes | QUARTZ -ZINC, ANTHRA -ZINC, AZENGAR, PIGMENTO MATT, VMZ PVDF coating on request | |





Project - Private House, Location - USA

VMZ Adeka®

45 degrees...

- Small and easily installed shingles
- Provide a textured aesthetic
- Excellent waterproofing

| Area of Application | Straight and curved |
|---------------------|---|
| Minimum Pitches | 15 (25%) |
| Thickness | 0.65 mm |
| Useful Dimensions | 400 mm x 400 mm |
| No. elements/m2 | 8.8 |
| Packaging | 24 Adeka / box |
| Support System | Rigid and continuous in all parts. |
| Surface Finishes | QUARTZ -ZINC, ANTHRA -ZINC, AZENGAR, PIGMENTO MATT, VMZ PVDF coating on request |



VMBUILDING SOLUTIONS



16

VMZINC Roofing

VMZINC Interior



Project - Public Building, **Location -** Turkey

VMZ Flatlock Tile

Textural roof...

- Fits to any shapes
- Customised tiles (Square, Diamond, Hexagonal etc)
- Uncomparable asthetical effect

| Area of Application | Straight, Curved and Complex |
|---------------------------|--|
| Thickness | 0.7 mm |
| Standard Center to Center | 390 mm |
| Minimum Pitches | 60° |
| Support System | Rigid and continuous in all parts. Meet loading resistance requirement with a pull out strength of 50 daN for each fixing clip. |
| Surface Finishes | QUARTZ -ZINC, ANTHRA -ZINC, AZENGAR, PIGMENTO MATT, VMZ PVDF coating on request |

Project - Commercial Office, **Location -** Turkey

VMZ Interior

- The inimitable elegance of preweathered zinc with a velvet-like aspect, for a uniquely refined interior
- Modular system with different formats for greater creativity
- Reinforced cassettes that are lightweight and resilient
- Simple one-person installation and disassembly

| Thickness | 0.7 mm to 1.5 mm |
|------------------|---|
| Size | Customised |
| Width | Maximum 1000 mm |
| Length | Maximum 2400 mm |
| Surface Finishes | QUARTZ -ZINC, ANTHRA -ZINC, PIGMENTO & AZENGAR |
| Color on Demand | Minimum Quantity 500 Sqmt |
| | |









VMZINC Technical Assistance

At VMZINC our commitment goes much further than the delivery of quality goods. That is why we work closely with all those involved, starting from the initial idea right down to the finished building.



DESIGN ASSISTANCE

VMZINC employs a team of architects, engineers and CAD technicians to help you keep one step ahead in the development of increasingly daring and sophisticated building envelops. Our team will assist clients to design their roofing or facade project and will stimulate their creativity by providing innovative solutions that respect budgetary requirements and the relevant standards.

Different services are provided on request

- Feasibility analyses of even the most complex projects
- Recommendations for working drawings
- Architectural assistance for the development of innovative concepts
- Review of shop drawings
- Library of CAD drawings
- Quantity estimates


For each individual customisation, every request is specifically examined by the VMZINC teams to provide a comprehensive solution to suit each specific situation.


TAILORED SUPPORT

At each major stage of the project, the VMZINC teams provide support for reflection and development with numerous services.

They can provide upstream confirmation of feasibility regarding the desired customised solutions, taking local regulations into account. They can also provide an initial budgetary envelope to ensure rigorous design of the future building.

VMZINC can produce prototypes or mock-ups to facilitate decisions or validate principles of installation.





ADJUSTED LOGISTICS

VMZINC's experience of managing these types of project makes it possible to provide support to installers and ensure optimum organization of on-site logistics: sequenced delivery, specific packaging, numbering of parts, assembly plan, etc.

VMZINC works in close partnership with architects, providing support to ensure their building can be customised as simply as possible.

VMZINC Parametric Facades in India






Project: Palladium Mall, Chennai **Aspect:** PIGMENTO Brown **System:** VMZ Parametric Panel





Project: Esplanade Mall, Bhubanesv Aspect: QUARTZ Strat System: VMZ Parametric Panel









Project: Jatin Arrora Residence, Gurgaon Aspect: PIGMENTO Brown System: VMZ Parametric Panel

(20)

VMZINC Facade Projects in India

ਪੰਜਾਬ ਸਟੇਟ ਵਾਰ ਹੀਰੋਜ਼ ' ਮੈਮੋਰੀਅਲ ਅਤੇ ਮਿਊਜ਼ੀ

Project: War Memorial, Amritsar, Punjab Aspect: PIGMENTO Blue System: VMZ Interlocking & VMZ Perforation



Aspect: PIGMENTO Green
System: VMZ Standing Seam



Project: Surat District Co-Operative Bank, Surat Aspect : ANTHRA Strat System : VMZ Adeka



Project: Corporate House, Solapur Aspect: PIGMENTO Red System: VMZ Standing Seam



Project: Commercial Building, Surat Aspect : QUARTZ Zinc
System: VMZ Interlocking Panel & VMZ Perforation

Project: Hospital, Allahabad Aspect: QUARTZ Zinc System: VMZ Interlocking Panel & VMZ Perforation



Project: Hotel, Chennai Aspect : PIGMENTO Green, PIGMENTO Blue, QUARTZ & natural zinc System: VMZ Interlocking Panel



Project: Public Building, Jaipur Aspect: ANTHRA Strat, PIGMENTO Red System: VMZ Interlocking Panel & VMZ Adeka



Project: Private Residence, Gurgaon **Aspect:** PIGMENTO Blue System: VMZ Interlocking Panel



Project: Commercial Building, Surat **Aspect:** PIGMENTO Red, QUARTZ Zinc ANTHRA Zinc System: VMZ Standing Seam

VMZINC Roofing Projects in India



Project: Private Residence, Lonawala Aspect: QUARTZ Plus System: VMZ Standing Seam



Project: Private Residence, Pune Aspect: PIGMENTO MATT Red Plus System: VMZ Standing Seam



Project: Private Residence, New Delhi Aspect : QUARTZ Plus System : VMZ Standing Seam



Project: Heliport, Rohini Delhi Aspect: natural zinc
System: VMZ Standing Seam



Project: Private Residence, Pune Aspect: PIGMENTO MATT Red Plus System: VMZ Adeka



Project: Private Residence, Goa Aspect: QUARTZ Plus System: VMZ Standing Seam



Project: Private Residence, New Delhi Aspect : ANTHRA Zinc System : VMZ Standing Seam



Project: Bangla Bhawan, Kolkata Aspect : QUARTZ Plus System : VMZ Standing Seam

VMBUILDING SOLUTIONS



(22)